


# TOKOZ PRO Cylinder



## Revolution in locking

**TOKOZ PRO** cylinders belong among the best locking systems on the Czech market as well as world market. They are suitable for both demanding daily use and places with stress on greater security such as main entrances of houses, flats and companies.



# TOKOZ PRO



- > a security lock cylinder certified in compliance with EN 1303, EN 1627
- > a mechanism locked via rotating discs
- > 100% resistance to lock picking and lock bumping
- > maximum protection against drilling
- > reliable even in extreme climatic conditions such as dust, freezing temperatures, water, grease
- > components of the locking mechanism made of stainless material
- > modular construction - easy assembly of various lengths
- > offers the possibility of the Keyed Alike systems (SU marking) integrated with TOKOZ PRO products
- > offers the possibility to use the Master Keyed and General Master Keyed (SGHK marking) systems with TOKOZ PRO products

- > compatible with all types of standard hardware
- > suitable for standard and atypical door thickness
- > surface finishing: Satin-nickel body
- > light symmetrical machine-cut keys with replaceable plastic bow in blue, orange, black, grey and red colours
- > easy key manipulation in the dark
- > legal protection against plagiarism ensured by patent
- > standardly supplied with five keys and a security card that prevents from key duplication
- > box packaging

TOKOZ PRO SYSTEM IS PATENT-PROTECTED.



For bulk orders, the packaging can be adapted according to customer's wish.



DOUBLE CYLINDER



DOUBLE CYLINDER WITH THUMBTURN



SINGLE CYLINDER



Purchase Order number	Item	Cylinder size	Total length
21901	TOKOZ PRO 400 33/33	33/33	66
21903	TOKOZ PRO 400 33/38	33/38	71
21907	TOKOZ PRO 400 33/43	33/43	76
21913	TOKOZ PRO 400 33/48	33/48	81
21915	TOKOZ PRO 400 33/53	33/53	86
21919	TOKOZ PRO 400 33/58	33/58	91
21905	TOKOZ PRO 400 38/38	38/38	76
21909	TOKOZ PRO 400 38/43	38/43	81
21911	TOKOZ PRO 400 38/48	38/48	86
21921	TOKOZ PRO 400 38/53	38/53	91
21925	TOKOZ PRO 400 38/58	38/58	96
21917	TOKOZ PRO 400 43/43	43/43	86
21923	TOKOZ PRO 400 43/48	43/48	91
21927	TOKOZ PRO 400 43/53	43/53	96
21931	TOKOZ PRO 400 43/58	43/58	101
21929	TOKOZ PRO 400 48/48	48/48	96
21933	TOKOZ PRO 400 48/53	48/53	101

Purchase Order number	Item	Cylinder size	Total length
23001	TOKOZ PRO 400 with thumbturn 33/30	33/30	63
23002	TOKOZ PRO 400 with thumbturn 33/50	33/35	68
23003	TOKOZ PRO 400 with thumbturn 33/40	33/40	73
23004	TOKOZ PRO 400 with thumbturn 33/45	33/45	78
23005	TOKOZ PRO 400 with thumbturn 33/50	33/50	83
23006	TOKOZ PRO 400 with thumbturn 33/55	33/55	88
23008	TOKOZ PRO 400 with thumbturn 38/35	38/35	73
23009	TOKOZ PRO 400 with thumbturn 38/40	38/40	78
23010	TOKOZ PRO 400 with thumbturn 38/45	38/45	83
23011	TOKOZ PRO 400 with thumbturn 38/50	38/50	88
23012	TOKOZ PRO 400 with thumbturn 38/55	38/55	93
23015	TOKOZ PRO 400 with thumbturn 43/40	43/40	83
23016	TOKOZ PRO 400 with thumbturn 43/45	43/45	88
23017	TOKOZ PRO 400 with thumbturn 43/50	43/50	93
23018	TOKOZ PRO 400 with thumbturn 43/55	43/55	98
23022	TOKOZ PRO 400 with thumbturn 48/45	48/45	93
23023	TOKOZ PRO 400 with thumbturn 48/50	48/50	98

Purchase Order number	Item	Cylinder size
20901	Single cylinder PRO 400 33	33
20902	Single cylinder PRO 400 38	38



DOUBLE  
CYLINDER



DOUBLE  
CYLINDER WITH THUMBTURN



SINGLE  
CYLINDER



Purchase Order number	Item	Cylinder size	Total length
21801	TOKOZ PRO 300 30/30	30/30	60
21803	TOKOZ PRO 300 30/35	30/35	65
21807	TOKOZ PRO 300 30/40	30/40	70
21813	TOKOZ PRO 300 30/45	30/45	75
21815	TOKOZ PRO 300 30/50	30/50	80
21819	TOKOZ PRO 300 30/55	30/55	85
21805	TOKOZ PRO 300 35/35	35/35	70
21809	TOKOZ PRO 300 35/40	35/40	75
21811	TOKOZ PRO 300 35/45	35/45	80
21821	TOKOZ PRO 300 35/50	35/50	85
21825	TOKOZ PRO 300 35/55	35/55	90
21817	TOKOZ PRO 300 40/40	40/40	80
21823	TOKOZ PRO 300 40/45	40/45	85
21827	TOKOZ PRO 300 40/50	40/50	90
21833	TOKOZ PRO 300 40/55	40/55	95
21829	TOKOZ PRO 300 45/45	45/45	90
21831	TOKOZ PRO 300 45/50	45/50	95

Purchase Order number	Item	Cylinder size	Total length
22901	TOKOZ PRO 300 with thumbturn 30/30	30/30	60
22902	TOKOZ PRO 300 with thumbturn 30/35	30/35	65
22903	TOKOZ PRO 300 with thumbturn 30/40	30/40	70
22904	TOKOZ PRO 300 with thumbturn 30/45	30/45	75
22905	TOKOZ PRO 300 with thumbturn 30/50	30/50	80
22906	TOKOZ PRO 300 with thumbturn 30/55	30/55	85
22908	TOKOZ PRO 300 with thumbturn 35/35	35/35	70
22909	TOKOZ PRO 300 with thumbturn 35/40	35/40	75
22910	TOKOZ PRO 300 with thumbturn 35/45	35/45	80
22911	TOKOZ PRO 300 with thumbturn 35/50	35/50	85
22912	TOKOZ PRO 300 with thumbturn 35/55	35/55	90
22915	TOKOZ PRO 300 with thumbturn 40/40	40/40	80
22916	TOKOZ PRO 300 with thumbturn 40/45	40/45	85
22917	TOKOZ PRO 300 with thumbturn 40/50	40/50	90
22918	TOKOZ PRO 300 with thumbturn 40/55	40/55	95
22922	TOKOZ PRO 300 with thumbturn 45/45	45/45	90
22923	TOKOZ PRO 300 with thumbturn 45/50	45/50	95

Purchase Order number	Item	Cylinder size
20701	Single cylinder PRO 300 30	30
20702	Single cylinder PRO 300 35	35

# TOKOZ PRO with thumbturn and a safety catch

## Thumbturn with a safety catch against accidental door opening.

The cylinder with a thumbturn knob and a safety catch is locked and unlocked just like any other lock of such type. The feature that adds an extra function is the securing bolt. Pulling the thumbturn knob until the securing bolt springs out from the slot in the thumbturn knob puts out of operation the part of the locking mechanism that is controlled by a key, which makes unlocking the door with a key impossible from outside. Further, the thumbturn knob can be used for smooth locking and unlocking.

In order to restore the key function, it is necessary to position the thumbturn knob vertically so that the securing bolt is pointed upwards and then push the bolt into the knob. The function is particularly useful against unwanted opening from the outside, for example at night.



# KONTI PRO

## Securing containers and dustbins

KONTI PRO container lock can be integrated into the TOKOZ PRO system. Innovation of the current version of the KONTI lock brings increased security and possibility to connect to the standard Master Keyed and General Master Keyed systems. The lock can be used for both securing containers and dustbins, and **as anchor system for free-standing objects** or an additional lock for attic and basement areas.



23411

### KONTI PRO 9



- > provided with TOKOZ PRO safety locking system
- > offers the possibility of the Keyed Alike systems (SU marking) integrated with TOKOZ PRO products
- > offers the possibility to use the Master Keyed and General Master Keyed (SGHK marking) systems with TOKOZ PRO products
- > cylinder with high protection against drilling and 100% protection against lock picking and lock bumping



23401

### KONTI PRO 12



- > reliable in extreme climatic conditions
- > lock body made of zinc alloy is more resistant to forced attack
- > steel chain extremely resistant to wrenching, 9 or 12 chain links (adjustable according to requirements of the customer)
- > surface finishing: varnished body, galvanized chain
- > supplied with fasteners


	KONTI PRO 9	KONTI PRO 12
Quantity of the keys	2	2
Package of 1 piece/bulk	without package or skin/box	without package or skin/box
Number of pieces in a bulk package	10	10
Weight of bulk package in kg	8,9	9,1

# GAMA – Padlock



## GAMA

Evolution is taking place in padlocks production too and the Gama padlock is currently at its top. Padlocks with TOKOZ PRO locking system are suitable for individual use in extreme environments but they are especially suited to keyed systems with door cylinders and other locking mechanisms.



52861

GAMA 70 CS Silver



52852

GAMA 70 OS Black



52851

GAMA 70 OS Silver



52862

GAMA 70 CS Black



- > certified in compliance with EN 1627, EN 12320
- > provided with TOKOZ PRO 400 or TOKOZ PRO 300 security locking system
- > cylinder with high protection against drilling and 100% protection against lock picking and lock bumping
- > components of the locking mechanism made of stainless material
- > reliable even in extreme climatic conditions (water, freezing temperatures, dust, grease)
- > offers the possibility of the Keyed Alike systems (SU marking) integrated with TOKOZ PRO products
- > offers the possibility to use the Master Keyed and General Master Keyed (SGHK marking) systems with TOKOZ PRO products
- > GAMA 70 and 60 has a hardened-steel body resistant to forced attack, drilling and breaking
- > GAMA 50 has a solid zinc body resistant to forced attack and breaking
- > surface finishing in silver or black colour
- > hardened shackle with improved resistance to cutting, sawing, prying and hammering
- > both-side-secured shackle revolves by 360° after unlocking
- > CS (Cover Shackle) - a covered shackle for enhanced protection against sawing and cutting
- > OS (Open Shackle) - an open shackle for easier manipulation in less accessible places
- > the key can only be pushed in and pulled out when the padlock is locked
- > safe-like light symmetrical keys with exchangeable bow (different colour options: blue, orange, black, grey and red)

# GAMA



52841

GAMA 60 CS Silver



52832  
GAMA 60 OS Black



52941

GAMA 50 CS Silver



52932  
GAMA 50 OS Black



52831  
GAMA 60 OS Silver




52842  
GAMA 60 CS Black



52931  
GAMA 50 OS Silver



52942  
GAMA 50 CS Black



	GAMA 70 CS	GAMA 70 OS	GAMA 60 CS	GAMA 60 OS	GAMA 50 CS	GAMA 50 OS
Dimension A	72	72	62	62	52	52
Dimension B	94	60	89	58	80	52
Dimension C	30	30	28	28	26	26
Dimension D	13	13	12	12	10	10
Dimension G						
Dimension H	6	40	5	36	4	32
Dimension I	100	100	94	94	84	84
Steel Body	x	x	x	x		
Zink Body					x	x
Hardened shackle	x	x	x	x	x	x
Number of keys	3	3	3	3	3	3
Identification Card	x	x	x	x	x	x
Packaging	small box	small box	small box	small box	small box	small box
Quantity per package	1	1	1	1	1	1
Weight in kg	1,02	0,99	0,75	0,73	0,50	0,49